ELSEVIER

Journal of Alloys and Compounds 222 (1995) 197

Journal of ALLOYS AND COMPOUNDS

Author Index of Volume 222

Adachi, G., 18
Aso, K., 173

Buschow, K.H.J., 39

Cao, L., 123
Chai, L., 96, 100
Chang, W.C., 87
Chang, W.-D., 184
Chen, C.S., 87
Chen, D.F., 141
Chen, S.K., 143
Chen, T.-R., 179
Cheng, K.H., 148
Cheng, Z.-H., 123
Chin, T.S., 143, 148, 179, 184
Ching, K.-M., 184
Christodoulou, C.N., 27, 92
Chujo, T., 193
Coey, J.M.D., 1

Eccleston, R.S., 39

Fujimori, H., 167
Furukawa, S., 167

Gao, Y.H., 23
Gong, H.-Y., 123
Gong, W., 49
Gou, C., 141
Guo, H., 113
Guo, H.Q., 57, 123

Hadjipanayis, G.C., 49
Hamano, M., 8
Hayashi, K., 173
Hiroe, K., 193
Homma, M., 13, 136
Horiuchi, H., 127, 131
Hu, B., 103, 113
Hu, B.P., 57, 141
Hu, J., 103, 113

Imaoka, N., 73
Inoue, N., 82
Inoue, T., 153
Iriyama, T., 62, 73
Ishikawa, K., 153
Itoh, S., 73

Jack, K.H., 160

Kalogirou, O., 44
Kaneko, H., 33, 107, 127, 131
Kato, H., 62
Katori, K., 173
Katsumata, T., 73
Kawanabe, T., 33, 107
Kise, S., 33
Kobayashi, K., 1
Koeninger, V., 33, 107, 117
Koide, T., 62
Koike, U., 127, 131
Komada, N., 27, 92
Kong, L.-S., 123
Kumanbara, T., 67
Kurino, T., 33, 107, 127, 131

Lee, P.-Y., 179
Li, F., 96, 100
Li, H.S., 57
Li, W.Z., 23
Lin, G., 96, 100
Lin, W.G., 23
Lin, Y., 96, 100
Liu, G., 103, 113
Liu, G.C., 141
Loewenhaupt, M., 39

Machida, K., 18
Masumoto, T., 167
Matsumara, Y., 33
Matsumura, Y., 107, 193
Mitani, S., 167
Miyamoto, Y., 33
Murthy, A.S., 49

Nakagawa, Y., 62
Nakamoto, A., 18
Nakamura, H., 13, 136
Nakatani, Y., 18
Nasunjilegal, B., 57
Niarchos, D., 44
Niizuma, K., 188
Nishio, H., 67

Ohno, K., 78
Ohnuma, S., 167
Okada, M., 13, 136
Okamoto, A., 73
Onodera, A., 18

Panayotopoulos, J., 44
Petzow, G., 173
Pithan, C., 173
Psycharis, V., 44

Qin, W.D., 23, 57

Saettas, L., 44
Saito, T., 78
Shen, B., 113
Shen, B.-G., 123
Shimazawa, K., 78
Shinagawa, K., 78
Shiomi, J., 62
Skomski, R., 1
Sugimoto, S., 13, 136
Sun, K., 141
Suzuki, S., 67, 82
Suzuki, T., 153

Tachibana, S., 33, 107
Tanaka, T., 13, 136
Tang, N., 23, 57
Tils, P., 39
Tsushima, T., 78

Uchida, H., 33, 107, 117, 127, 131, 153, 193
Uchida, H.H., 33, 107, 117, 153, 193
Urakabe, T., 78
Utsushikawa, Y., 188

Wang, J.L., 23, 57
Wang, K., 113
Wang, R., 96, 100
Wang, Y., 103, 113
Wang, Y.Z., 57, 141
Wang, Z., 103, 113
Wei, Y.N., 141
Wu, M.F., 143
Wu, X., 96, 100

Yamada, M., 62
Yamamoto, H., 67
Yan, Q., 103
Yan, Q.W., 23, 141
Yanagisawa, T., 33
Yang, F., 23, 103
Yang, F.M., 49, 57
Yang, J., 103
Yao, J.M., 143, 148
Yao, Y.D., 87
Yin, Y., 96, 100
Yu, S., 96, 100, 103

Zhang, J.X., 23, 123
Zhang, M., 96, 100
Zhang, P.L., 141
Zhao, R.W., 23
Zhao, T., 103, 113
Zheng, Y.H., 49
Zhong, X.P., 23
Zhou, S., 96, 100, 103
Zhu, J.J., 57

Elsevier Science S.A.

ELSEVIER

Journal of Alloys and Compounds 222 (1995) 199–202

Journal of ALLOYS AND COMPOUNDS

Subject Index of Volume 222

Absorption
nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres, 117
Activation volume
magnetic viscosity of $Sm_2Fe_{17}N_x$ ($x = 1.6$–3.5) alloys, 143
Additional elements
effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds, 13
Additives
effects of additives on hydrogenation, disproportionation, desorption and recombination phenomena in $Nd_2Fe_{14}B$ compounds, 136
Ammonia atmosphere
nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres, 117
Ammonia synthesis
synthesis of NH_3 on Fe, Sm and Sm_2Fe_{17} surfaces, 153
Anisotropy
anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17}, 27
recent developments in rare-earth nitrides and carbides, 49
high coercivity anisotropic $Sm_2Fe_{17}N_3$ powders, 92
Annealing
recent developments in rare-earth nitrides and carbides, 49
diffusion process of nitrogen in Sm_2Fe_{17}, 113
Arc melting
formation, structure and magnetic properties of $(Er_{1-x}Y_x)_2Fe_{17}C_2$, 123
Atomic diffusion
anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17}, 27

Ball milling
study on high performance $Sm_2Fe_{17}N_x$ magnets, 23
Bonded magnets
overview and outlook of bonded magnets in Japan, 8
magnetic properties of Sm–Nd–Fe–Co–N compounds and magnetic viscosity of their bonded magnets, 67
Boron
effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties, 131

Carbon
anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17}, 27
effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties, 131
Chemical vapour deposition
new processing routes for the preparation of $Sm_2Fe_{17}M_x$ (M = C and/or N) materials, 18
Coercivity
dependence of coercivity on particle size in $Sm_2Fe_{17}N_3$ powders, 1
recent developments in rare-earth nitrides and carbides, 49
effect of Mn addition to Sm–Fe–N magnets on the thermal stability of coercivity, 73
high coercivity anisotropic $Sm_2Fe_{17}N_3$ powders, 92
hard magnetic behavior of $Sm_2Fe_{17}N_x$ and $Nd(Fe, Mo)_{12}N_x$ epoxy resin-bonded materials, 103
Crystal field model
effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm), 78
Crystalline electric field
high field magnetization and spin reorientation in $Sm_2(Fe_{1-x}Al_x)_{17}$ single crystals, 62

DC reactive magnetron sputtering
magnetic properties and structure of Mn_4N films on glass substrates, 184
Decomposition
decomposition behaviors and magnetic properties of $Sm_2(Fe_{1-x}Co_x)_{17}M_yC$ and $Sm_2(Fe_{1-x}Co_x)_{17}M_yCN_z$ (M = Be, Mg, Al, Si, V, Cr, Mn, Ni, Ga, Ge, Mo, In, Ta or W), 127
Desorption
nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres, 117
Disproportionation
effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds, 13
effects of additives on hydrogenation, disproportionation, desorption and recombination phenomena in $Nd_2Fe_{14}B$ compounds, 136

'Easy-to-use' magnets
overview and outlook of bonded magnets in Japan, 8
Epoxy resin
hard magnetic behavior of $Sm_2Fe_{17}N_x$ and $Nd(Fe, Mo)_{12}N_x$ epoxy resin-bonded materials, 103
Exchange coupling
nitrogen- and carbon-induced reduction of Gd–Fe exchange coupling in Gd_2Fe_{17} doped samples, 39

Ferromagnetic ribbons
recent developments in rare-earth nitrides and carbides, 49

Granular structure
Co–(N, O)-based granular thin films and their soft magnetic properties, 167

Hard nitromagnetic powder
overview and outlook of bonded magnets in Japan, 8
HDDR phenomena
effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds, 13
effects of additives on hydrogenation, disproportionation, desorption and recombination phenomena in $Nd_2Fe_{14}B$ compounds, 136

Elsevier Science S.A.

Heat treatment
structure and magnetic properties of mechanically alloyed iron nitride powders, 179
High electrical resistivity
Co–(N, O)-based granular thin films and their soft magnetic properties, 167
High field magnetization
high field magnetization and spin reorientation in $Sm_2(Fe_{1-x}Al_x)_{17}$ single crystals, 62
High field measurement
recent developments in rare-earth nitrides and carbides, 49
High-frequency properties
Co–(N, O)-based granular thin films and their soft magnetic properties, 167
High performance magnets
study on high performance $Sm_2Fe_{17}N_x$ magnets, 23
Hydrogen
anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17}, 27
Hydrogen atmosphere
nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres, 117
Hysteresis
dependence of coercivity on particle size in $Sm_2Fe_{17}N_3$ powders, 1

Inelastic neutron scattering
nitrogen- and carbon-induced reduction of Gd–Fe exchange coupling in Gd_2Fe_{17} doped samples, 39
Ion nitride
the saturation magnetization of Fe–N films prepared by nitriding treatment in N_2 plasma, 188
Iron
phase relations and the martensitic transformation in Fe–N-based thin films, 173
Iron alloys
the synthesis and characterization of bulk α''-$Fe_{16}N_2$, 160
Iron nitride
structure and magnetic properties of mechanically alloyed iron nitride powders, 179
the saturation magnetization of Fe–N films prepared by nitriding treatment in N_2 plasma, 188
reactivity of N_2 with Fe in FeN_x formation by activated reactive evaporation process, 193
Iron surface
synthesis of NH_3 on Fe, Sm and Sm_2Fe_{17} surfaces, 153

Large magnetic moment
reactivity of N_2 with Fe in FeN_x formation by activated reactive evaporation process, 193
Lattice constants
pressure–composition–temperature relationships of the Sm_2Fe_{17}–N system, 33
Light rare earths
magnetic properties of $(LR_xSm_{1-x})_2(FeCo)_{17}N_{2-\delta}$ Zn bonded magnets (LR = La, Ce), 148

Magnetic anisotropy energy
effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm), 78
Magnetic parameters
nitrogen- and carbon-induced reduction of Gd–Fe exchange coupling in Gd_2Fe_{17} doped samples, 39
Magnetic properties
nitrogen absorption in bulk and thin films of $RFe_{12-x}T_x$-type compounds, 44
magnetic properties of Sm–Nd–Fe–Co–N compounds and magnetic viscosity of their bonded magnets, 67
influence of nitrogenating conditions on magnetic properties of $NdFe_xCo_3TiN_y$, 82
microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides, 96
intrinsic and hard magnetic properties of $Sm_2(Fe_{1-x}Al_x)_{17}$ nitrides, 100
hard magnetic behavior of $Sm_2Fe_{17}N_x$ and $Nd(Fe, Mo)_{12}N_x$ epoxy resin-bonded materials, 103
formation, structure and magnetic properties of $(Er_{1-x}Y_x)_2Fe_{17}C_2$, 123
decomposition behaviors and magnetic properties of $Sm_2(Fe_{1-x}Co_x)_{17}M_yC$ and $Sm_2(Fe_{1-x}Co_x)_{17}M_yCN_2$ (M = Be, Mg, Al, Si, V, Cr, Mn, Ni, Ga, Ge, Mo, In, Ta or W), 127
effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties, 131
neutron powder diffraction study of the structure of $Er_2Fe_{17}N_{4.5}$, 141
magnetic properties of $(LR_xSm_{1-x})_2(FeCo)_{17}N_{2-\delta}$ Zn bonded magnets (LR = La, Ce), 148
the synthesis and characterization of bulk α''-$Fe_{16}N_2$, 160
Magnetic studies
magnetic studies of $(Y_{1-x}Nd_x)(Fe_{1-y}Co_y)_{11.5}Mo_{0.5}N$ alloy powders, 87
Magnetic viscosity
magnetic properties of Sm–Nd–Fe–Co–N compounds and magnetic viscosity of their bonded magnets, 67
magnetic viscosity of $Sm_2Fe_{17}N_x$ ($x = 1.6$–3.5) alloys, 143
Magnetic viscosity parameter
magnetic viscosity of $Sm_2Fe_{17}N_x$ ($x = 1.6$–3.5) alloys, 143
Magnetron discharge
the saturation magnetization of Fe–N films prepared by nitriding treatment in N_2 plasma, 188
Magnets
effect of Mn addition to Sm–Fe–N magnets on the thermal stability of coercivity, 73
Manganese
effect of Mn addition to Sm–Fe–N magnets on the thermal stability of coercivity, 73
Martensitic transformation
phase relations and the martensitic transformation in Fe–N-based thin films, 173
Mechanical alloying
structure and magnetic properties of mechanically alloyed iron nitride powders, 179
Melt spinning
formation, structure and magnetic properties of $(Er_{1-x}Y_x)_2Fe_{17}C_2$, 123
Microstructure
microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides, 96
Mn_4N films
magnetic properties and structure of Mn_4N films on glass substrates, 184
Morphologically advanced components
overview and outlook of bonded magnets in Japan, 8

Neutron powder diffraction
neutron powder diffraction study of the structure of $Er_2Fe_{17}N_{4.5}$, 141
New processing routes
new processing routes for the preparation of $Sm_2Fe_{17}M_x$ (M = C and/or N) materials, 18

Nitride film
Co–(N, O)-based granular thin films and their soft magnetic properties, 167
Nitrides
influence of nitrogenating conditions on magnetic properties of $NdFe_8Co_3TiN_x$, 82
magnetic studies of $(Y_{1-x}Nd_x)(Fe_{1-y}Co_y)_{11.5}Mo_{0.5}N$ alloy powders, 87
high coercivity anisotropic $Sm_2Fe_{17}N_3$ powders, 92
microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides, 96
intrinsic and hard magnetic properties of $Sm_2(Fe_{1-x}Al_x)_{17}$ nitrides, 100
hard magnetic behavior of $Sm_2Fe_{17}N_x$ and $Nd(Fe, Mo)_{12}N_x$ epoxy resin-bonded materials, 103
the synthesis and characterization of bulk α''-$Fe_{16}N_2$, 160
Nitrogen
anisotropic atomic diffusion mechanism of N, C and H into Sm_2Fe_{17}, 27
nitrogen absorption and desorption of Sm_2Fe_{17} in ammonia and hydrogen atmospheres, 117
effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties, 131
neutron powder diffraction study of the structure of $Er_2Fe_{17}N_{4.5}$, 141
phase relations and the martensitic transformation in Fe–N-based thin films, 173
Nitrogen absorption
nitrogen absorption in bulk and thin films of $RFe_{12-x}T_x$-type compounds, 44
Nitrogenation
magnetic viscosity of $Sm_2Fe_{17}N_x$ ($x = 1.6$–3.5) alloys, 143
magnetic properties of $(LR_xSm_{1-x})_2(FeCo)_{17}N_{2-\delta}$ Zn bonded magnets (LR = La, Ce), 148
Nitrogen content
study on high performance $Sm_2Fe_{17}N_x$ magnets, 23
Nitrogen diffusion
diffusion behavior of N atoms in Sm_2Fe_{17}, 107
diffusion process of nitrogen in Sm_2Fe_{17}, 113
Nitromagnetics
the synthesis and characterization of bulk α''-$Fe_{16}N_2$, 160

Oxide film
Co–(N, O)-based granular thin films and their soft magnetic properties, 167
Oxygen content
study on high performance $Sm_2Fe_{17}N_x$ magnets, 23

Particle size
dependence of coercivity on particle size in $Sm_2Fe_{17}N_3$ powders, 1
Permanent magnetic materials
novel permanent magnetic material: $Sm_3(Fe,Ti)_{29}N_y$, 57
Perpendicular magnetic anisotropy
magnetic properties and structure of Mn_4N films on glass substrates, 184
Phase composition
study on high performance $Sm_2Fe_{17}N_x$ magnets, 23
Phase diagrams
pressure–composition–temperature relationships of the Sm_2Fe_{17}–N system, 33
Phase relations
phase relations and the martensitic transformation in Fe–N-based thin films, 173
Plasma carbonitriding
new processing routes for the preparation of $Sm_2Fe_{17}M_x$ (M = C and/or N) materials, 18
Preparation
new processing routes for the preparation of $Sm_2Fe_{17}M_x$ (M = C and/or N) materials, 18
Pressure–composition–relationship
pressure–composition–temperature relationships of the Sm_2Fe_{17}–N system, 33
Pressure dependence
effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm), 78

Rare earths
effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm), 78
Reaction probabilities
synthesis of NH_3 on Fe, Sm and Sm_2Fe_{17} surfaces, 153
reactivity of N_2 with Fe in FeN_x formation by activated reactive evaporation process, 193
Reactivity
reactivity of N_2 with Fe in FeN_x formation by activated reactive evaporation process, 193
Recombination
effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds, 13
effects of additives on hydrogenation, disproportionation, desorption and recombination phenomena in $Nd_2Fe_{14}B$ compounds, 136

Samarium surface
synthesis of NH_3 on Fe, Sm and Sm_2Fe_{17} surfaces, 153
Saturation magnetization
structure and magnetic properties of mechanically alloyed iron nitride powders, 179
Scanning electron microscopy
microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides, 96
Shape anisotropy
magnetic properties and structure of Mn_4N films on glass substrates, 184
$Sm_2Fe_{17}N_x$
effects of additional elements on hydrogen absorption and desorption characteristics of Sm_2Fe_{17} compounds, 13
Soft-magnetic properties
Co–(N, O)-based granular thin films and their soft magnetic properties, 167
Solubility
effects of N, C and B additions on the Sm_2Fe_{17} crystal structure and magnetic properties, 131
Spin reorientation
high field magnetization and spin reorientation in $Sm_2(Fe_{1-x}Al_x)_{17}$ single crystals, 62
effect of pressure and additional elements (C, Al) on the magnetic anisotropy in R_2Fe_{17} (R = Sm, Er and Tm), 78
Stress
diffusion behavior of N atoms in Sm_2Fe_{17}, 107
Stress-induced anisotropy
magnetic properties and structure of Mn_4N films on glass substrates, 184

Temperature dependence
magnetic properties of Sm–Nd–Fe–Co–N compounds and magnetic viscosity of their bonded magnets, 67
Thermal stability
effect of Mn addition to Sm–Fe–N magnets on the thermal stability of coercivity, 73

intrinsic and hard magnetic properties of $Sm_2(Fe_{1-x}Al_x)_{17}$ nitrides, 100
Thermodynamics
nitrogen absorption in bulk and thin films of $RFe_{12-x}T_x$-type compounds, 44
Thin films
nitrogen absorption in bulk and thin films of $RFe_{12-x}T_x$-type compounds, 44
phase relations and the martensitic transformation in Fe–N-based thin films, 173
X-ray diffraction
novel permanent magnetic material: $Sm_3(Fe,Ti)_{29}N_y$, 57
microstructure and magnetic properties of $Sm_2(Fe_{1-x}Ga_x)_{17}$ and nitrides, 96
Zinc bonded magnet
influence of nitrogenating conditions on magnetic properties of $NdFe_8Co_3TiN_z$, 82
Zinc-bond magnets
magnetic properties of $(LR_xSm_{1-x})_2(FeCo)_{17}N_{2-\delta}$ Zn bonded magnets (LR = La, Ce), 148